

DS-PD201MC-WB

Wireless Magnetic Contact



DS-PD201MC-WB is a wireless opening detector that notifies of first signs of room intrusion by means of a broken door or window.

- Simple and elegant appearance design
- Frequency hopping against jamming for reliable transmission

▪ Specification

Model		DS-PD201MC-WB
Communication	Transmission technology	433.1-433.7 MHz
	Transmission range (free space)	Up to 1,200 m
	Maximum effective radiated power (ERP)	25 mW max
	Radio signal modulation	2GFSK
Detection performance	Detection method	Opening Contact
	Detection gap	25 mm max
Software features	Temperature indicator	Yes
Indication	Indication method	LED
Electrical characteristics	Power supply	1 × AA battery
	Power consumption	max current: 140 mA quiescent current: 1 uA
	Battery life	Up to 2 years (standby time)
General	Dimension (W×H×D)	24 x 104 x 23.5 mm 14.4 x 50.0 x 17.5 mm
	Weight	49 g
	Operation temperature	-10 °C to 55 °C (14 °F to 131 °F)
	Operation humidity	10% to 90%

▪ Available Model

DS-PD201MC-WB

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision_Global



Hikvision
Corporate Channel



hikvisionhq